## **SAFETY DATA SHEET (SDS)**

According to 1907/2006/EC, Article 31



May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

Section I – Identification of the substance/mixture ar	nd of the com	pany/underta	ıking	
IDENTITY (As Used on Label and List)  RENEW FOAMING CLEANSER	Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.			
Manufacturer's Name  DermaRite Industries	Emergency Telephone Number (973) 569-9000			
Address (Number, Street, City, State, and ZIP Code)  3 East 26 <sup>th</sup> Street, Paterson, NJ 07514	Telephone Number	er for Information	569-9000	
Section II – Hazardous identification				
List all hazards regarding the material				
NONE				
List all required label requirement				
NONE				
Decomposed at the end restriction of the				
Recommended use and restriction of use  FOR EXTERNAL USE ONLY.				
Section III – Composition/Information on Ingredients			Other Limits	
Hazardous Components (Specific Chemical Identity; Common Name(s)	OSHA PEL	ACGIH TLV	Recommended	%(optional)
NONE				
Section IV – First aid measures				
Signs and Symptoms of Exposure and Required Treatments  NONE				
Section V – Fire fighting measures				
Flash Point (Method Used) NONE	Flammable Limits <b>NONE</b>	LEL	UEL	
Extinguishing Media CO2, Dry foam				
Special Fire Fighting Procedures  NONE				
Unusual Fire and Explosion Hazards NONE RENEW FOAMING CLEANSER – page 2 of 3				
(Reproduce locally)				

tone to Be Taken in Case Materia	al release meas	ures		
O I I I I I - I I I - I I - I I - I	al Is Released or Spilled	4	d d-4	
tespiratory Protection (Specify Ty)	<u>mop and water. w</u>	aste can be treate	d as common non-hazardous dete	ergent.
entilation		aal Eybayat	Charial	
rentilation	LO	cal Exhaust  Not ne	Special <b>No</b>	
	Me	echanical (General)	Other No	
Protective Gloves			Eye Protection	
Other Protective Clothing or Equip	ment			
Nork/Hygienic Practices	Normal work o	lothes.		
Volk/Hyglefild Fractices				
Section VII– Handling	and Storage			
Precautions to Be Taken in Handlin		in alaced contain		
Store at room tem	perature and keep	in closed contain	ers.	
ncompatibilities				
Unknown				
-				
Section VIII – Exposu	re controls/pers	onal protection		
OSHA's Permissible Exposure L				
NONE  Threshold limit values (TLVs)				
NONE				
Appropriate engineering controls <b>NONE</b>				
Personal protective equipment (PP	PE)			
NONE				
NONE				
-	and chemical pi	operties		
-	and chemical p	operties	Specific Gravity (H <sub>2</sub> O = 1)	~1.0
Section IX – Physical	and chemical pi		, , ,	
Section IX – Physical Boiling Point	and chemical pi	212 °F	Melting Point	N/A
Section IX – Physical  Boiling Point  Vapor Density (AIR = 1)	and chemical pi		, , ,	
Section IX – Physical  Boiling Point  Apor Density (AIR = 1)  Solubility in Water	and chemical pi	212 °F	Melting Point  Evaporation Rate	N/A
Section IX – Physical  Boiling Point  Apor Density (AIR = 1)  Solubility in Water  Water soluble	and chemical p	212 °F	Melting Point  Evaporation Rate	N/A
Section IX – Physical Boiling Point Vapor Density (AIR = 1) Solubility in Water Water soluble Appearance and Odor Greenish tint with fra	grance.	212 °F N/A	Melting Point  Evaporation Rate	N/A
Section IX – Physical  Boiling Point  Apor Density (AIR = 1)  Solubility in Water  Water soluble  Appearance and Odor  Greenish tint with fra  Section X – Stability a	grance. and Reactivity D	212 °F N/A	Melting Point  Evaporation Rate (Butyl Acetate = 1)	N/A
Section IX – Physical  Boiling Point  Vapor Density (AIR = 1)  Solubility in Water  Water soluble  Appearance and Odor  Greenish tint with fraction X – Stability a	grance.	212 °F N/A	Melting Point  Evaporation Rate (Butyl Acetate = 1)  Conditions to Avoid	N/A
Section IX – Physical  Boiling Point  Apor Density (AIR = 1)  Solubility in Water  Water soluble  Appearance and Odor  Greenish tint with fra  Section X – Stability a	grance. and Reactivity D	212 °F N/A	Melting Point  Evaporation Rate (Butyl Acetate = 1)	N/A
Section IX – Physical  Boiling Point  Vapor Density (AIR = 1)  Solubility in Water  Water soluble  Appearance and Odor  Greenish tint with fractability  Stability  Compatibility (Materials to Avoid)	grance. and Reactivity Description Unstable Stable	212 °F N/A	Melting Point  Evaporation Rate (Butyl Acetate = 1)  Conditions to Avoid	N/A
Boiling Point  Japor Density (AIR = 1)  Solubility in Water  Water soluble  Appearance and Odor  Greenish tint with fraction X - Stability  Stability  Compatibility (Materials to Avoid)	grance. and Reactivity Description Unstable Stable Not soluble with oil	212 °F N/A	Melting Point  Evaporation Rate (Butyl Acetate = 1)  Conditions to Avoid	N/A
Section IX – Physical Boiling Point Vapor Density (AIR = 1) Solubility in Water Water soluble Appearance and Odor Greenish tint with fraction X – Stability Stability Incompatibility (Materials to Avoid) Hazardous Decomposition or Bypre	grance.  and Reactivity Description  Unstable  Stable  Not soluble with oillowed	212 °F N/A	Melting Point  Evaporation Rate (Butyl Acetate = 1)  Conditions to Avoid	N/A
Section IX – Physical  Boiling Point  Vapor Density (AIR = 1)  Solubility in Water  Water soluble  Appearance and Odor  Greenish tint with fraction X – Stability  Stability  Incompatibility (Materials to Avoid)	grance. and Reactivity Description Unstable Stable Not soluble with oil	212 °F N/A	Melting Point  Evaporation Rate (Butyl Acetate = 1)  Conditions to Avoid	N/A
Section IX – Physical Boiling Point Vapor Density (AIR = 1) Solubility in Water Water soluble Appearance and Odor Greenish tint with fraction X – Stability Stability Incompatibility (Materials to Avoid) Hazardous Decomposition or Bypre	grance.  and Reactivity Description  Unstable  Stable  Not soluble with oillowed	212 °F N/A	Melting Point  Evaporation Rate (Butyl Acetate = 1)  Conditions to Avoid	N/A
Section IX – Physical  Boiling Point  Vapor Density (AIR = 1)  Solubility in Water  Water soluble  Appearance and Odor  Greenish tint with fraction X – Stability  Incompatibility (Materials to Avoid)  Hazardous Decomposition or Bypress	grance.  And Reactivity D  Unstable  Stable  Not soluble with oil oducts  May Occur  Will Not Occur	212 °F N/A	Melting Point  Evaporation Rate (Butyl Acetate = 1)  Conditions to Avoid	N/A

Route(s) of Entry:	Inhalation? <b>NO</b>	Skin? <b>NO</b>	Ingestion? <b>YES</b>	
Health Hazards (Acute and Ch	ronic)		123	
Irrita	ting if placed in eyes, or if i	ngested.		
Carcinogencity:	NTP?	IARC Monographs?	OSHA Regulated?	
Signs and Symptoms of Expos	sure	<u> </u>		
Medical Conditions				
Generally Aggravated by Expo	sure			
Emergency and first aid proced		Irink large amounts of water. Ca	all nhyeician	
Flush eyes with water	ior 13 minutes. Il mgesteu t	irilik large allioulits of water. Of	an physician.	
Section XII – Ecolo	gical Information			
Not applicable	<u> </u>			
Section XIII - Dispo	osal Consideration			
Waste Disposal Method				
Waste can be treated	as a common non-hazardou	ıs detergent. Flush in drain with	n plenty of water.	
O (1 VIV T	(1.6			
Section XIV- Trans	port Information			
Not applicable				
Section XV- Regula	atory Information			
Not applicable				
Section XVI - Other	r Information			
Date Prepared <b>10/04/13</b>				
Signature of Preparer (optional	<i></i>			
(Reproduce locally)				

THE INFORMATION AND RECOMMENDATIONS IN THIS DATA SHEET ARE BELIEVED TO BE CORRECT AND RELIABLE. HOWEVER THE DATA IS OFFERED FOR CONSIDERATION AND VERIFICATION BY THE USER AND DERMARITE INDUSTRIES LLC OFFERS NO GUARANTEE, WARRANT OR REPRESENTATION AS TO THE ACCURACY OR COMPLETENESS OF THE DATA